
		SOUR MININ			FORI								
APPLI	CATION FOR	PERMIT TO DRILL				1. WELL NAME and	NUMBER NBU 1022-8N1DS						
2. TYPE OF WORK DRILL NEW WELL	REENTER P	&A WELL (DEEPE	N WELL			3. FIELD OR WILDCAT NATURAL BUTTES							
4. TYPE OF WELL Gas We	ell Coalt	bed Methane Well: NO				5. UNIT or COMMUNITIZATION AGREEMENT NAME NATURAL BUTTES							
6. NAME OF OPERATOR		GAS ONSHORE, L.P.				7. OPERATOR PHO							
8. ADDRESS OF OPERATOR P.O	. Box 173779, [Denver, CO, 80217				9. OPERATOR E-MA mary.m	IL ondragon@anadarko	.com					
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE)		11. MINERAL OWNER	_	_		12. SURFACE OWN							
UTU 01196A		FEDERAL INDI	IAN STATE (<u> </u>	FEE (DIAN DIAN STATE (~ ~					
13. NAME OF SURFACE OWNER (if box 12	= 'fee')					14. SURFACE OWN	ER PHONE (if box 1	2 = 'fee')					
15. ADDRESS OF SURFACE OWNER (if box	12 = 'fee')					16. SURFACE OWN	ER E-MAIL (if box 1	.2 = 'fee')					
17. INDIAN ALLOTTEE OR TRIBE NAME		18. INTEND TO COM		ION	FROM	19. SLANT							
(if box 12 = 'INDIAN')			ommingling Applicat	ion)	№ 💮	VERTICAL DIF	RECTIONAL 📵 HO	ORIZONTAL 🗍					
20. LOCATION OF WELL	FC	OOTAGES	QTR-QTR		SECTION	TOWNSHIP	RANGE	MERIDIAN					
LOCATION AT SURFACE	1772 F	FSL 368 FWL	NWSW		8	10.0 S	22.0 E	S					
Top of Uppermost Producing Zone	940 FS	SL 2635 FWL	SESW		8	10.0 S	22.0 E	S					
At Total Depth	940 FS	SL 2635 FWL	SESW		8	10.0 S	22.0 E	S					
21. COUNTY UINTAH		22. DISTANCE TO NE	EAREST LEASE LIN 940	IE (Fe	eet)	23. NUMBER OF AC	RES IN DRILLING (JNIT					
		25. DISTANCE TO NE (Applied For Drilling		SAME	POOL	26. PROPOSED DEPTH MD: 9699 TVD: 9100							
27. ELEVATION - GROUND LEVEL 5305		28. BOND NUMBER	WYB000291			29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE Permit #43-8496							
		AT	TACHMENTS										
VERIFY THE FOLLOWING	ARE ATTACH	HED IN ACCORDANG	CE WITH THE U	TAH	OIL AND G	GAS CONSERVATI	ON GENERAL RU	ILES					
✓ WELL PLAT OR MAP PREPARED BY	LICENSED SUF	RVEYOR OR ENGINEER	сом	IPLET	TE DRILLING	PLAN							
AFFIDAVIT OF STATUS OF SURFACE	OWNER AGRE	EEMENT (IF FEE SURFA	ACE) FOR	FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER									
DIRECTIONAL SURVEY PLAN (IF DID DRILLED)	№ торо	OGRA	PHICAL MAF	•									
NAME Danielle Piernot	AME Danielle Piernot TITLE Regulatory Analyst						PHONE 720 929-6156						
SIGNATURE	D	PATE 09/17/2009			EMAIL danie	elle.piernot@anadarko	.com						
API NUMBER ASSIGNED 43047507540000	A	PPROVAL			Bol	Rejill							
P					Perm	rmit Manager							

API Well No: 43047507540000 Received: 9/17/2009

	Proposed Hole, Casing, and Cement								
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)					
Prod	7.875	4.5	0	9699					
Pipe	Grade	Length	Weight						
	Grade I-80 Buttress	9699	11.6						

API Well No: 43047507540000 Received: 9/17/2009

	Proposed Hole, Casing, and Cement								
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)					
Surf	12.25	9.625	0	2245					
Pipe	Grade	Length	Weight						
	Grade J-55 LT&C	2245	36.0						








Well Name: P_NBU 1022-8N1DS Surface Location: UINTAH_NBU 1022-8L PAD NAD 1927 (NADCON CONUS)US State Plane 1927 (Exact solution)

UTAH CENTRAL ZONE - 27 Ground Elevation: 5305.0

Northing Easting Latitude Longitude 599319.90 2568657.80 39.961083°N 109.471091°W







SECTION DETAILS

Sec MD Inc Azi **TVD** +N/-S +E/-W DLeg **TFace VSec** 0.00 0.0 0.0 0.0 0.00 0.0 0.00 0.00 0.0 2 2250.0 0.00 0.00 2250.0 0.0 0.0 0.00 0.00 0.0 3 3250.0 30.00 110.07 3204.9 -87.8 240.3 3.00 110.07 255.9 6496.7 0.00 2156.4 4 7051.0 30.00 110.07 -740.0 2025.4 0.00 5 8051.0 0.00 0.00 7451.6 -827.8 2265.8 3.00 180.00 2412.2 9699.4 0.00 9100.0 -827.8 2265.8 0.00 2412.2 6 0.00 0.00



Azimuths to True North Magnetic North: 11.32°

Magnetic Field Strength: 52552.1snT Dip Angle: 65.90° Date: 4/13/2009 Model: IGRF200510

ROCKIES - PLANNING

UTAH CENTRAL ZONE - 27 UINTAH_NBU 1022-8L PAD P_NBU 1022-8N1DS P_NBU 1022-8N1DS

Plan: Plan #1 04-13-09 ZJRA6

Standard Planning Report - Geographic

13 April, 2009

APC

Planning Report - Geographic

Database: apc_edmp

Company: ROCKIES - PLANNING
Project: UTAH CENTRAL ZONE - 27
Site: UINTAH_NBU 1022-8L PAD
Well: P_NBU 1022-8NIDS

Wellbore: P_NBU 1022-8N1DS
Design: Plan #1 04-13-09 ZJRA6

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well P_NBU 1022-8N1DS

WELL @ 5305.0ft (Original Well Elev) WELL @ 5305.0ft (Original Well Elev)

5,305.0 ft

True

Minimum Curvature

Project UTAH CENTRAL ZONE - 27

Map System: US State Plane 1927 (Exact solution)

Geo Datum: NAD 1927 (NADCON CONUS)

Map Zone: Utah Central 4302

System Datum:

Mean Sea Level

Site UINTAH_NBU 1022-8L PAD

599,319.91ft Northing: Latitude: 39.961083°N Site Position: Lat/Long Easting: 2,568,657.80ft Longitude: 109.471091°W From: 1.30° **Position Uncertainty:** 0.0 ft **Slot Radius: Grid Convergence:**

Well P_NBU 1022-8N1DS

 Well Position
 +N/-S
 0.0 ft
 Northing:
 599,319.90 ft
 Latitude:
 39.961083°N

 +E/-W
 0.0 ft
 Easting:
 2,568,657.80 ft
 Longitude:
 109.471091°W

Position Uncertainty 0.0 ft Wellhead Elevation: ft Ground Level:

Wellbore P_NBU 1022-8N1DS

 Magnetics
 Model Name
 Sample Date
 Declination (°)
 Dip Angle (°)
 Field Strength (nT)

 IGRF200510
 4/13/2009
 11.32
 65.90
 52,552

Design Plan #1 04-13-09 ZJRA6

Audit Notes:

Version: Phase: PLAN Tie On Depth: 0.0

 Vertical Section:
 Depth From (TVD) (ft)
 +N/-S (ft)
 +E/-W (ft)
 Direction (°)

 9,100.0
 0.0
 0.0
 110.07

Plan Section	s									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
2,250.0	0.00	0.00	2,250.0	0.0	0.0	0.00	0.00	0.00	0.00	
3,250.0	30.00	110.07	3,204.9	-87.8	240.3	3.00	3.00	0.00	110.07	
7,051.0	30.00	110.07	6,496.7	-740.0	2,025.4	0.00	0.00	0.00	0.00	
8,051.0	0.00	0.00	7,451.6	-827.8	2,265.8	3.00	-3.00	0.00	180.00	
9,699.4	0.00	0.00	9,100.0	-827.8	2,265.8	0.00	0.00	0.00	0.00 P	BHL_NBU 1022-8

APC

Planning Report - Geographic

Database: apc_edmp

Company: ROCKIES - PLANNING
Project: UTAH CENTRAL ZONE - 27
Site: UINTAH_NBU 1022-8L PAD
Well: P_NBU 1022-8N1DS

Wellbore: P_NBU 1022-8N1DS
Design: Plan #1 04-13-09 ZJRA6

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well P_NBU 1022-8N1DS

WELL @ 5305.0ft (Original Well Elev) WELL @ 5305.0ft (Original Well Elev)

True

Minimum Curvature

easured Depth I (ft)	nclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (ft)	Map Easting (ft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	599,319.90	2,568,657.80	39.961083°N	109.471091°\
1,284.0	0.00	0.00	1,284.0	0.0	0.0	599,319.90	2,568,657.80	39.961083°N	109.471091°\
Green R	iver								
2,100.0	0.00	0.00	2,100.0	0.0	0.0	599,319.90	2,568,657.80	39.961083°N	109.471091°
Surface	Casing								
2,250.0	0.00	0.00	2,250.0	0.0	0.0	599,319.90	2,568,657.80	39.961083°N	109.471091°
3,250.0	30.00	110.07	3,204.9	-87.8	240.3	599,237.57	2,568,900.07	39.960842°N	109.470234°
4,700.4	30.00	110.07	4,461.0	-336.7	921.5	599,004.22	2,569,586.69	39.960159°N	109.467804°\
Wasatch	1								
7,051.0	30.00	110.07	6,496.7	-740.0	2,025.4	598,626.03	2,570,699.49	39.959051°N	109.463865°
8,051.0	0.00	0.00	7,451.6	-827.8	2,265.8	598,543.70	2,570,941.75	39.958810°N	109.463008°
9,070.4	0.00	0.00	8,471.0	-827.8	2,265.8	598,543.70	2,570,941.75	39.958810°N	109.463008°
Mesa Ve	erde								
9,699.4	0.00	0.00	9,100.0	-827.8	2,265.8	598,543.70	2,570,941.75	39.958810°N	109.463008°

Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
PBHL_NBU 1022-8I - plan hits target - Point		0.00	9,100.0	-827.8	2,265.8	598,543.70	2,570,941.75	39.958810°N	109.463008°W

Casing Points					
	Measured Depth (ft)	Vertical Depth (ft)		Name	Casing Hole Diameter Diameter (") (")
	2,100.0	2,100.0	Surface Casing		9-5/8 12-1/4

Formations						
	Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
	4,700.4	4,461.0	Wasatch		0.00	
	1,284.0	1,284.0	Green River		0.00	
	9,070.4	8,471.0	Mesa Verde		0.00	

NBU 1022-8N1DS

Pad: NBU 1022-8L Surface: 1,772' FSL 368' FWL (NW/4SW/4) BHL: 940' FSL 2,635' FWL (SE/4SW/4) Sec. 8 T10S R22E

> Uintah, Utah Mineral Lease: UTU 01196A

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. – 2. <u>Estimated Tops of Important Geologic Markers</u>: <u>Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations</u>:

<u>Formation</u>	<u>Depth</u>	Resource	
Uinta	0 – Surface		
Green River	1,284'		
Birds Nest	1,613'	Water	
Mahogany	2,045'	Water	
Wasatch	4,461'	Gas	
Mesaverde	6,967'	Gas	
MVU2	7,870'	Gas	
MVL1	8,471'	Gas	
TVD	9,100'		
TD	9,699'		

3. <u>Pressure Control Equipment</u> (Schematic Attached)

Please refer to the attached Drilling Program.

4. Proposed Casing & Cementing Program:

Please refer to the attached Drilling Program.

5. Drilling Fluids Program:

Please refer to the attached Drilling Program.

Evaluation Program:

Please refer to the attached Drilling Program.

7. Abnormal Conditions:

Maximum anticipated bottomhole pressure calculated at 9,100' TVD, approximately equals 5,741 psi (calculated at 0.59 psi/foot).

Maximum anticipated surface pressure equals approximately 3,384 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates:

Drilling is planned to commence immediately upon approval of this application.

9. <u>Variances:</u>

Please refer to the attached Drilling Program.

Onshore Order #2 – Air Drilling Variance

Kerr-McGee Oil & Gas Onshore LP (KMG) respectfully requests a variance to several requirements associated with air drilling outlined in Onshore Order 2

- Blowout Prevention Equipment (BOPE) requirements;
- Mud program requirements; and
- Special drilling operation (surface equipment placement) requirements associated with air drilling.

This Standard Operating Practices addendum provides supporting information as to why KMG current air drilling practices for constructing the surface casing hole should be granted a variance to Onshore Order 2 air drilling requirements.

The reader should note that the air rig is used only to construct a stable surface casing hole through a historically difficult lost circulation zone. A conventional rotary rig follows the air rig, and is used to drill and construct the majority of the wellbore.

More notable, KMG has used the air rig layout and procedures outlined below to drill the surface casing hole in approximately 675 wells without incident of blow out or loss of life.

Background

In a typical well, KMG utilizes an air rig for drilling the surface casing hole, an interval from the surface to surface casing depths, which varies in depth from 1,700 to 2,800 feet. The air rig drilling operation does not drill through productive or over pressured formations in KMG field, but does penetrate the Uinta and Green River Formations. The purpose of the air drilling operation is to overcome the severe loss circulation zone in the Green River known as the Bird's Nest while creating a stable hole for the surface casing. The surface casing hole is generally drilled to approximately 500 feet below the Bird's Nest.

Before the surface air rig is mobilized, a rathole rig is utilized to set and cement conductor pipe through a competent surface formation. Generally, the conductor is set at 40 feet. In some cases, conductor may be set deeper in areas that the surface formation is not found competent. This rig also drills the rat and mouse holes in preparation for the surface casing and production string drilling operations.

The air rig is then mobilized to drill the surface casing hole by drilling a 12-1/4 inch hole to just above the Bird's Nest interval with an air hammer. The hammer is then tripped and replaced with a 12-1/4 inch tri-cone bit. The tri-cone bit is used to drill to the surface casing point, approximately 500 feet below the loss circulation zone (Bird's Nest). The 9-5/8 inch surface casing is then run and cemented in place, thereby isolating the lost circulation zone.

KMG fully appreciates Onshore Order 2 well control and safety requirements associated with a typical air drilling operations. However, the requirements of Onshore Order 2 are excessive with respect to the air rig layout and drilling operation procedures that are currently in practice to drill and control the surface casing hole in KMG Fields.

Variance for BOPE Requirements

The air rig operation utilizes a properly lubricated and maintained air bowl diverter system which diverts the drilling returns to a six-inch blooie line. The air bowl is the only piece of BOPE equipment which is installed during drilling operations and is sufficient to contain the air returns associated with this drilling operation. As was discussed earlier, the drilling of the surface hole does not encounter any over pressured or productive zones, and as a result standard BOPE equipment should not be required. In addition, standard drilling practices do not support the use of BOPE on 40 feet of conductor pipe.

Variance for Mud Material Requirements

Onshore Order 2 also states that sufficient quantities of mud materials shall be maintained or readily accessible for the purpose of assuring adequate well control. Once again, the surface hole drilling operations does not encounter over pressured or productive intervals, and as a result there is not a need to control pressure in the surface hole with a mud system. Instead of mud, the air rigs utilize water from the reserve pit for well control, if necessary. A skid pump which is located near the reserve pit (see attachment) will supply the water to the well bore.

Variance for Special Drilling Operation (surface equipment placement) Requirements

Onshore Order 2 requires specific safety distances or setbacks for the placement of associated standard air drilling equipment, wellbore, and reserve pits. The air rigs used to drill the surface holes are not typical of an air rig used to drill a producing hole in other parts of the US. These are smaller in nature and designed to fit a KMG location. The typical air rig layout for drilling surface hole in the field is attached.

Typically the blooie line discharge point is required to be 100 feet from the well bore. In the case of a KMG well, the reserve pit is only 45 feet from the rig and is used for the drill cuttings. The blooie line, which transports the drill cuttings from the well to the reserve pit, subsequently discharges only 45 feet from the well bore.

Typically the air rig compressors are required to be located in the opposite direction from the blooie line and a minimum of 100 feet from the well bore. At the KMG locations, the air rig compressors are approximately 40 feet from the well bore and approximately 60 feet from the blooie line discharge due to the unique air rig design. The air compressors (see attachment) are located on the rig (1250 cfm) and on a standby trailer (1170 cfm). A booster sits between the two compressors and boosts the output from 350 psi to 2000 psi. The design does put the booster and standby compressor opposite from the blooie line.

Lastly, Onshore Order 2 addresses the need for an automatic igniter or continuous pilot light on the blooie line. The air rig does not utilize an igniter as the surface hole drilling operation does not encounter productive formations.

Variance for FIT Requirements

KMG also respectfully requests a variance to Onshore Order 2, Section III, Part Bi, for the pressure integrity test (PIT, also known as a formation integrity test (FIT)). The air rig operation utilizes a 5M BOPE when drilling. This well is not an exploratory well and is being drilled in an area where the formation integrity is well known. Additionally, when an FIT is run with the mud weight as required, the casing shoe frequently breaks down and causes subsequent lost circulation when drilling the entire depth of the well.

Conclusion

The air rig operating procedures and the attached air rig layout have effectively maintained well control while drilling the surface holes in KMG Fields. KMG respectfully requests a variance from Onshore Order 2 with respect to air drilling well control requirements as discussed above.


10. Other Information:

Please refer to the attached Drilling Program.



KERR-McGEE OIL & GAS ONSHORE LP <u>DRILLING PROGRAM</u>

September 16, 2009 COMPANY NAME KERR-McGEE OIL & GAS ONSHORE LP NBU 1022-8N1DS WELL NAME 9,100' TVD 9,699' MD Natural Buttes FINISHED ELEVATION FIELD **COUNTY Uintah** STATE Utah 5,305' SURFACE LOCATION NW/4 SW/4 1,772' FSL 368' FWL Sec 8 T 10S R 22E Latitude: 39.961049 Longitude: -109.471776 NAD 83 BTM HOLE LOCATION SE/4 SW/4 940' FSL 2,635' FWL Sec 8 T 10S R 22E Latitude: 39.958776 -109.463692 NAD 83 Longitude: Wasatch/Mesaverde





KERR-McGEE OIL & GAS ONSHORE LP

DRILLING PROGRAM

CASING PROGRAM

									DESIGN FACT	ORS
	SIZE	INT	ERVAL	_	WT.	GR.	CPLG.	BURST	COLLAPSE	TENSION
CONDUCTOR	14"	0-40'								
								3,520	2,020	453,000
SURFACE	9-5/8"	0	to	2,245	36.00	J-55	LTC	0.95	1.92	7.13
								7,780	6,350	278,000
PRODUCTION	4-1/2"	0	to	9,699	11.60	I-80	BTC	2.23	1.16	2.83

- 1) Max Anticipated Surf. Press.(MASP) (Surface Casing) = (Pore Pressure at next csg point-(0.22 psi/ft-partial evac gradient x TVD of next csg point))
- 2) MASP (Prod Casing) = Pore Pressure at TD (0.22 psi/ft-partial evac gradient x TD)

(Burst Assumptions: TD = 11.6 ppg) 0.22 psi/ft = gradient for partially evac wellbore (Collapse Assumption: Fully Evacuated Casing, Max MW) (Tension Assumptions: Air Weight of Casing*Buoy.Fact. of water)

MASP 3,384 psi

3) Maximum Anticipated Bottom Hole Pressure (MABHP) = Pore Pressure at TD

(Burst Assumptions: TD = 11.6 ppg) 0.59 psi/ft = bottomhole gradient

(Collapse Assumption: Fully Evacuated Casing, Max MW) (Tension Assumptions: Air Weight of Casing*Buoy.Fact. of water)

MABHP 5,741 psi

CEMENT PROGRAM

	FT. OF FILL	DESCRIPTION	SACKS	EXCESS	WEIGHT	YIELD
SURFACE LEAD	500'	Premium cmt + 2% CaCl	215	60%	15.60	1.18
Option 1		+ 0.25 pps flocele				
TOP OUT CMT (6 jobs)	1,200'	20 gals sodium silicate + Premium cmt	380	0%	15.60	1.18
		+ 2% CaCl + 0.25 pps flocele				
		Premium cmt + 2% CaCl				
SURFACE		NOTE: If well will circulate water to sur	face, optio	n 2 will be ເ	ıtilized	
Option 2 LEAD	1,745'	65/35 Poz + 6% Gel + 10 pps gilsonite	410	35%	12.60	1.81
		+ 0.25 pps Flocele + 3% salt BWOW				
TAIL	500'	Premium cmt + 2% CaCl	180	35%	15.60	1.18
		+ 0.25 pps flocele				
TOP OUT CMT	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
PRODUCTION LEAD	3,959'	Premium Lite II + 3% KCI + 0.25 pps	380	40%	11.00	3.38
		celloflake + 5 pps gilsonite + 10% gel				
		+ 0.5% extender				
TAIL	5,740'	50/50 Poz/G + 10% salt + 2% gel	1,410	40%	14.30	1.31
		+ 0.1% R-3				

^{*}Substitute caliper hole volume plus 0% excess for LEAD if accurate caliper is obtained

FLOAT EQUIPMENT & CENTRALIZERS

SURFACE	Guide shoe, 1 jt, insert float. Centralize first 3 joints with bow spring centralizers. Thread lock guide shoe
PRODUCTION	Float shoe, 1 jt, float collar. No centralizers will be used.

ADDITIONAL INFORMATION

Test casing head to 750 psi after installing. Test surface casing to 1,500 psi prior to drilling out.


BOPE: 11" 5M with one annular and 2 rams. The BOPE will be installed before the production hole is drilled and tested to 5,000 psi (annular to 2,500 psi) prior to drilling out the surface casing shoe. Record on chart recorder and tour sheet. Function test rams on each trip. Maintain safety valve and inside BOP on rig floor at all times. Most rigs have top drives; however, if used, the Kelly is to be equipped with upper and lower kelly valves.

Surveys will be taken at 1,000' minimum intervals.	
Most rigs have PVT System for mud monitoring. If no PVT is available, visual monitoring will be utilized.	

Most rigs have PVT System for mud monitoring. If no PVT is available, visual monitoring will be utilized.					
DRILLING	ENGINEER:		DATE:		
		John Huycke / Emile Goodwin	=		
DRILLING	SUPERINTENDENT:		DATE:		
		John Merkel / Lovel Young	-		

^{*}Substitute caliper hole volume plus 10% excess for TAIL if accurate caliper is obtained

EXHIBIT A NBU 1022-8N1DS



SCHEMATIC DIAGRAM OF 5,000 PSI BOP STACK

WELL PAD INTERFERENCE PLAT

DIRECTIONAL PAD - NBU 1022-8L

 ∞

NBU

20.0,

8N1DS W.H.=79.09611°

1022-8N2DS to exist. W.H.=79.09611°

ç


Hole)

Bottom

7

NBU

LATITUDE & LONGITUDE Surface Position - (NAD 83) N. LATITUDE W. LONGITUDE 39°57'39.662" 109°28'19.149' 1022-8L3CS 39.961017 109.471986° 39°57'39.700' 109°28'18.897' 1022-8M3DS 39.961028° 109.471916° 39°57'39.737 109°28'18.645 1022-8N2DS 39.961038° 109.471846* 39°57'39.775" 109°28'18.392' 1022-8N1DS 39.961049* 109.471776* 39°57'39.812" 109°28'18.140" Existing Well NBU 1022-8L 39.961059° 109.471706°



LATITUDE & LONGITUDE Bottom Hole - (NAD 83) WELL N. LATITUDE W. LONGITUDE 39°57'35.397' 109°28'23.054" 1022-8L3CS 39.959832° 109.473071* 39°57'24.684' 109°28'18 634' 1022-8M3DS 39.956857* 109.471843° 39*57'29.550" 109°28'01.298" 1022-8N2DS 39.958208° 109.467027°

39*57'31.592'

39.958776

1022-8N1DS

109°27'49.292

109.463692

SURFACE POSITION FOOTAGES:

NBU 1022-8L3CS 1761' FSL & 309' FWL NBU 1022-8M3DS 1765' FSL & 329' FWL

NBU 1022-8N2DS 1769' FSL & 348' FWL

NBU 1022-8N1DS 1772' FSL & 368' FWL

NBU 1022-8L (Existing Well) 1776' FSL & 387' FWL

BOTTOM HOLE FOOTAGES

NBU 1022-8L3CS 1330' FSL & 5' FWL


NBU 1022-8M3DS 245' FSL & 350' FWL

NBU 1022-8N2DS 735' FSL & 1700' FWL

NBU 1022-8N1DS 940' FSL & 2635' FWL

LATITUDE & LONGITUDE Surface Position - (NAD 27)							
WELL	N. LATITUDE	W. LONGITUDE					
1022-8L3CS	39°57'39.787" 39.961052°	109*28'16.686" 109.471302*					
1022-8M3DS	39°57'39.824" 39.961062°	109°28'16.433" 109.471232°					
1022-8N2DS	39°57'39.862" 39.961073°	109°28'16.181" 109.471161°					
1022-8N1DS	39°57'39.899" 39.961083°	109°28'15.929" 109.471091°					
Existing Well NBU 1022-8L	39°57'39.937" 39.961093°	109*28'15.677" 109.471021*					

Ž,		UDE & LONG de - (NAD 27)	ITUDE
	WELL	N. LATITUDE	W. LONGITUDE
M	1022-8L3CS	39°57'35.522" 39.959867°	109°28'20.591" 109.472386°
	1022-8M3DS	39°57'24.808" 39.956891°	109°28'16.171" 109.471159°
	1022-8N2DS	39°57'29.674" 39.958243°	109*27'58.835" 109.466343*
AZ=1.	1022-8N1DS	39*57'31.717" 39.958810*	109°27'46.830" 109.463008°
AZ=110.074 278. 1699.63.	77° \$69°55° - (To B	33"E 2413 ottom Hole)	215.



BASIS OF BEARINGS IS THE WEST LINE OF THE SW 1/4 OF SECTION 8, T10S, R22E, S.L.B.&M. WHICH IS TAKEN FROM GLOBAL POSITIONING SATELLITE OBSERVATIONS TO BEAR N00°02'34"E.

Kerr-McGee Oil & Gas Onshore, LP 1099 18th Street - Denver, Colorado 80202

NBU 1022-8L3CS, NBU 1022-8N2DS, NBU 1022-8N1DS & NBU 1022-8M3DS LOCATED IN SECTION 8, T10S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH.



CONSULTING, LLC 371 Coffeen Avenue Sheridan WY 82801 Phone 307-674-0609 Fax 307-674-0182

RELATIVE COORDINATES

	Trom Surfact	e i osition to	Doctom noie
	WELL	NORTH	EAST
	1022-8L3CS	-432'	-304'
	1022-8M3DS	-1,520'	20'
	1022-8N2DS	-1,031'	1,351'
	1022-8N1DS	-828'	2,267'
- 1			



DATE SURVEYED: 09-30-08 SURVEYED BY: M.S.B. DATE DRAWN: 10-03-08 DRAWN BY: M.W.W. REVISED: 02-06-09

Timberline(435) 789-1365 Engineering & Land Surveying, Inc. 209 NORTH 300 WEST VERNAL, UTAH 84078

SHEET 5 OF 13

KERR-MCGEE OIL & GAS ONSHORE L.P.

1099 18th Street - Denver, Colorado 80202

WELL PAD - LOCATION LAYOUT NBU 1022-8L3CS, NBU 1022-8N2DS, NBU 1022-8N1DS, NBU 1022-8M3DS LOCATED IN SECTION 8, T.10S., R.22E. S.L.B.&M., UINTAH COUNTY, UTAH



CONSULTING, LLC 371 Coffeen Avenue Sheridan WY 82801 Phone 307-674-0609 Fax 307-674-0182

Scale: REVISED:

1"=60' Date: 2/23/09 SHEET NO: 0 DATE 6 OF 13

CUT SLOPES = 1.5:1

FILL SLOPES = 1.5:1

+/- 28,730 BARRELS RESERVE PIT VOLUME

+/- 9,490 BARRELS
BACKFLOW PIT VOLUME

WELL PAD NBU 1022-8L QUANTITIES EXISTING GRADE @ CENTER OF PAD = 5,305.5' FINISHED GRADE ELEVATION = 5,305.0'

TOTAL CUT FOR WELL PAD = 5,988 C.Y.
TOTAL FILL FOR WELL PAD = 4,324 C.Y.
TOPSOIL @ 6" DEPTH = 1,801 C.Y.
EXCESS MATERIAL = 1,664 C.Y.
TOTAL DISTURBANCE = 3.72 ACRES
SHRINKAGE FACTOR = 1.10
SWELL FACTOR = 1.00
RESERVE PIT CAPACITY (2' OF FREEBOARD)

+/- 7,720 CY
BACKFLOW PIT CAPACITY (2' OF FREEBOARD)

WELL PAD LEGEND




EXISTING WELL LOCATION PROPOSED WELL LOCATION EXISTING CONTOURS (2' INTERVAL) PROPOSED CONTOURS (2' INTERVAL)




HORIZONTAL 2' CONTOURS

Timberline (435) 789-1365 Engineering & Land Surveying, Inc. 38 WEST 100 NORTH VERNAL, UTAH 84078





CROSS SECTION A-A'



CROSS SECTION B-B'

NOTE: CROSS SECTION B-B' DEPICTS MAXIMUM RESERVE PIT DEPTH.

KERR-MCGEE OIL & GAS ONSHORE L.P.


1099 18th Street - Denver, Colorado 80202

WELL PAD - CROSS SECTIONS NBU 1022-8L3CS, NBU 1022-8N2DS, NBU 1022-8N1DS, NBU 1022-8M3DS LOCATED IN SECTION 8, T.10S., R.22E. S.L.B.&M., UINTAH COUNTY, UTAH



CONSULTING, LLC 371 Coffeen Avenue Sheridan WY 82801 Phone 307-674-0609 Fax 307-674-0182

j	Scale:	1"=100'	Date:	2/23/09	SHEET NO:	
Ī	REVISED:			BY DATE	7	7 OF 13



Timberline (435) 789-1365 Engineering & Land Surveying, Inc. 38 WEST 100 NORTH VERNAL, UTAH 84078




PHOTO VIEW: FROM LOCATION STAKES TO EXISTING WELL HEAD

CAMERA ANGLE: EASTRLY




PHOTO VIEW: FROM EXISTING ROAD

Kerr-McGee Oil & Gas Onshore, LP

1099 18th Street - Denver, Colorado 80202

NBU 1022-8L3CS, NBU 1022-8N2DS, NBU 1022-8N1DS & NBU 1022-8M3DS LOCATED IN SECTION 8, T10S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH.



CONSULTING, LLC 371 Coffeen Avenue Sheridan WY 82801 Phone 307-674-0609 Fax 307-674-0182

CAMERA ANGLE: EASTERLY

LOCATION PHOTOS


DATE TAKEN: 09-30-08 **DATE DRAWN: 10-03-08**


TAKEN BY: M.S.B. DRAWN BY: M.W.W. REVISED: 02-06-09


Timberline


(435) 789-1365 Engineering & Land Surveying, Inc. 209 NORTH 300 WEST VERNAL, UTAH 84078

SHEET 8 OF 13









Kerr-McGee Oil & Gas Onshore, LP NBU 1022-8L3CS, NBU 1022-8N2DS, NBU 1022-8N1DS & NBU 1022-8M3DS Section 8, T10S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 13.9 MILES TO THE JUNCTION OF STATE HIGHWAY EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION ALONG STATE HIGHWAY 88 APPROXIMATELY 16.8 MILES TO OURAY, UTAH. FROM OURAY, PROCEED IN A SOUTHERLY DIRECTION ALONG THE SEEP RIDGE ROAD (COUNTY B ROAD 2810) APPROXIMATELY 11.2 MILES TO THE INTERSECTION OF THE GLEN BENCH ROAD (COUNTY B ROAD 3260). EXIT LEFT AND PROCEED IN AN EASTERLY, THEN SOUTHEASTERLY DIRECTION ALONG THE GLEN BENCH ROAD APPROXIMATELY 5.2 MILES TO THE INTERSECTION OF THE BITTER CREEK ROAD (COUNTY B ROAD 4120). EXIT RIGHT AND PROCEED IN A SOUTHEASTERLY DIRECTION ALONG THE BITTER CREEK ROAD APPROXIMATELY 4.0 MILES TO A CLASS D COUNTY ROAD RUNNING NORTHEASTERLY. EXIT LEFT AND PROCEED IN A NORTHEASTERLY DIRECTION ALONG THE CLASS D COUNTY ROAD APPROXIMATELY 3.1 MILES TO A SECOND CLASS D COUNTY ROAD RUNNING NORTHWESTERLY. EXIT LEFT AND PROCEED IN A NORTHWESTERLY DIRECTION ALONG THE SECOND CLASS D COUNTY ROAD APPROXIMATELY 1.1 MILES TO A THIRD CLASS D COUNTY ROAD RUNNING WESTERLY. EXIT LEFT AND PROCEED IN A WESTERLY. THEN SOUTHERLY DIRECTION ALONG THE THIRD CLASS D COUNTY ROAD APPROXIMATELY 1.0 MILES TO AN EXISTING SERVICE ROAD RUNNING SOUTHEASTERLY. EXIT RIGHT AND PROCEED IN A SOUTHEASTERLY DIRECTION ALONG THE SERVICE ROAD APPROXIMATELY 0.3 MILES TO THE WESTERN EXTENSION OF THE EXISTING WELL PAD.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 56.6 MILES IN A SOUTHERLY DIRECTION.

NBU 1022-8L3CS

Surface: 1,761' FSL 309' FWL (NW/4SW/4) BHL: 1,330' FSL 5' FWL (NW/4SW/4)

NBU 1022-8M3DS

Surface: 1,765' FSL 329' FWL (NW/4SW/4) BHL: 245' FSL 350' FWL (SW/4SW/4)

NBU 1022-8N1DS

Surface: 1,772' FSL 368' FWL (NW/4SW/4) BHL: 940' FSL 2,635' FWL (SE/4SW/4)

NBU 1022-8N2DS

Surface: 1,769' FSL 348' FWL (NW/4SW/4) BHL: 735' FSL 1,700' FWL (SE/4SW/4)

> Pad: NBU 1022-8L Sec. 8 T10S R22E Mineral Lease: UTU 01196A

> > Uintah, Utah

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN SUBMITTED WITH SITE-SPECIFIC INFORMATION

This Application for Permit to Drill (APD) is filed under the Notice of Staking (NOS) process as stated in Onshore Order No. 1 (OSO #1) and supporting Bureau of Land Management (BLM) documents. NOSs were submitted on March 12, 2009 showing the surface locations in NW/4 SW/4 of Section 8 T10S R22E.

This Surface Use Plan of Operations (SUPO) or 13-point plan provides the site-specific information for the above-referenced wells. This information is to be incorporated by reference into the Master Development Plan (MDP) for Kerr-McGee Oil & Gas Onshore LP (Kerr-McGee). The MDP is available upon request from the BLM-Vernal Field Office.

An on-site meeting was held on March 31, 2009. Present were:

- Verlyn Pindell, Dave Gordon BLM;
- Kolby Kay 609 Consulting, LLC
- Hal Blanchard, Charles Chase, Tony Kazeck, Grizz Oleen, Jeff Samuels, Sheila Upchego, and Raleen White – Kerr-McGee.

Directional Drilling:

In accordance with Utah Oil & Gas Conservation Rule R649-3-11 pertaining to Directional Drilling, this well will be directionally drilled in order to access portions of our lease which are otherwise inaccessible due to topography.

A. Existing Roads:

- A) Refer to Topo Map A for directions to the location.
- B) Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

B. Planned Access Roads:

See MDP for additional details on road construction.

Approximately ± 560 ' (± 0.11 mile) of road re-route is proposed. Please refer to the attached Topo Map B. No pipelines will be crossed with the new construction.

Existence of pipelines; maximum grade; turnouts; major cut and fills, culverts, or bridges; gates, cattle guards, fence cuts, or modifications to existing facilities were determined at the on-site and are typically shown on the attached Exhibits and Topo maps.

C. Location of Existing Wells Within a 1-Mile Radius:

Please refer to Topo Map C.

D. Location of Existing and Proposed Facilities:

See MDP for additional details on Existing and Proposed Facilities.

This pad will expand the existing pad for the NBU 1022-8L, which is a shut-in well according to Utah Division of Oil, Gas and Mining (UDOGM) records.

The following guidelines will apply if the well is productive.

Approximately $\pm 3,005$ ' (± 0.57 miles) of pipeline is proposed. The existing pipeline, as shown on Topo D, will be upgraded to accommodate anticipated production from the proposed wells. The upgraded pipeline will follow the same route as the existing pipeline. Pipeline segments will be welded or zaplocked together on disturbed areas in or near the location, whenever possible, and dragged into place.

E. Location and Type of Water Supply:

See MDP for additional details on Location and Type of Water Supply.

Water for drilling purposes will be obtained from one of the following sources:

- Dalbo Inc.'s underground well located in Ouray, Utah, Sec. 32 T4S R3E, Water User Claim number 43-8496, application number 53617.
- Price Water Pumping Inc. Green River and White River, various sources, Water Right Number 49-1659, application number: a35745.

Water will be hauled to location over the roads marked on Maps A and B.

No water well is to be drilled on this lease.

NBU 1022-8L3CS / 8M3DS / 8N1DS / 8N2DS

F. Source of Construction Materials:

See MDP for additional details on Source of Construction Materials.

G. <u>Methods of Handling Waste Materials:</u>

See MDP for additional details on Methods of Handling Waste Materials.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites:

RNI in Sec. 5 T9S R22E

NBU #159 in Sec. 35 T9S R21E Ace Oilfield in Sec. 2 T6S R20E MC&MC in Sec. 12 T6S R19E Pipeline Facility in Sec. 36 T9S R20E

Goat Pasture Evaporation Pond in SW/4 Sec. 16 T10S R22E

Bonanza Evaporation Pond in Sec. 2 T10S R23E

H. Ancillary Facilities:

See MDP for additional details on Ancillary Facilities.

None are anticipated.

I. Well Site Layout: (See Location Layout Diagram)

See MDP for additional details on Well Site Layout.

All pits will be fenced according to the following minimum standards:

- Net wire (39-inch) will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.
- The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.
- Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.
- All wire shall be stretched, by using a stretching device, before it is attached to corner posts.

J. Plans for Reclamation of the Surface:

See MDP for additional details on Plans for Reclamation of the Surface.

K. <u>Surface/Mineral Ownership:</u>

United States of America Bureau of Land Management 170 South 500 East Vernal, UT 84078 (435)781-4400

NBU 1022-8L3CS / 8M3DS / 8N1DS / 8N2DS

L. Other Information:

See MDP for additional details on Other Information.

M. Lessee's or Operators' Representative & Certification:

Kathy Schneebeck Dulnoan Staff Regulatory Analyst Kerr-McGee Oil & Gas Onshore LP PO Box 173779 Denver, CO 80217-3779 (720) 929-6007 Tommy Thompson General Manager, Drilling Kerr-McGee Oil & Gas Onshore LP PO Box 173779 Denver, CO 80217-3779 (720) 929-6724

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Kerr-McGee Oil & Gas Onshore LP is considered to be the operator of the subject well. Kerr-McGee Oil & Gas Onshore LP agrees to be responsible under terms and conditions of the lease for the operations conducted upon leased lands.

Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Bureau of Land Management Nationwide Bond WYB000291.

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that I have full knowledge of the State and Federal laws applicable to this operation; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

Kathy Schneebeck Dulnoan September 17, 2009

Date

Kerr-McGee Oil & Gas Onshore LP



1099 18th Street, Suite 1800 Denver, CO 80202-1918 P.O. Box 173779 Denver, CO 80217-3779 720-929-6000

May 5, 2009

Mrs. Diana Mason Division of Oil, Gas and Mining P.O. Box 145801 Salt Lake City, UT 84114-6100

Re: Directional Drilling R649-3-11

NBU 1022-8N1DS (FKA NBU 1022-8N1S)

T10S-R22E Section 8: SESW

Surface: 1772' FSL, 368' FWL Bottom Hole: 940' FSL, 2635' FWL

Uintah County, Utah

Dear Mrs. Mason:

Pursuant to the filing of Kerr-McGee Oil & Gas Onshore LP's (Kerr-McGee) Application for Permit to Drill regarding the above referenced well, we are hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649-3-11 pertaining to the Exception to Location and Siting of Wells.

- Kerr-McGee's NBU 1022-8N1DS located within the Natural Buttes Unit area.
- Kerr-McGee is permitting this well as a directional well in order to minimize surface disturbance. Locating the well at the surface location and directionally drilling from this location, Kerr-McGee will be able to utilize the existing road and pipelines in the area.
- Furthermore, Kerr-McGee certifies that it is the sole working interest owner within 460 feet of the entire directional well bore.

Therefore, based on the above stated information Kerr-McGee Oil & Gas Onshore LP requests the permit be granted pursuant to R649-3-11.

Sincerely,

KERR-MCGEE OIL & GAS ONSHORE LP

Jason K. Rayburn Landman

CLASS I REVIEW OF KERR-MCGEE OIL AND GAS ONSHORE LP'S 55 PROPOSED WELL LOCATIONS IN TOWNSHIP 10S, RANGE 22E, SECTIONS 4, 7, 8, 9, 10, 18 AND 20, UINTAH COUNTY, UTAH

By:

Patricia Stavish

Prepared For:
Bureau of Land Management
Vernal Field Office
and
State of Utah
School & Institutional Trust Lands Administration

Prepared Under Contract With:

Kerr-McGee Oil and Gas Onshore LP 1368 South 1200 East Vernal, Utah 84078

Prepared By:

Montgomery Archaeological Consultants, Inc. P.O. Box 219 Moab, Utah 84532

MOAC Report No. 08-321

February 20, 2009

United States Department of Interior (FLPMA)
Permit No. 08-UT-60122

Public Lands Policy Coordination Office Archaeological Survey Permit No. 117

Paleontological Reconnaissance Survey Report

Survey of Kerr McGee's Proposed Directional Pad With Multi-Wells, Access Road and Pipeline for "NBU #1022-8L, 8L3CS, 8M3DS, 8N2DS, & 8N1DS" (Sec. 7 & 8, T 10 S, R 22 E)

> Archy Bench Topographic Quadrangle Uintah County, Utah

December 2, 2008

Prepared by Stephen D. Sandau Paleontologist for Intermountain Paleo-Consulting P. O. Box 1125 Vernal, Utah 84078

United States Department of the Interior

BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

September 18, 2009

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2009 Plan of Development Natural Buttes Unit Uintah

County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2009 within the Natural Buttes Unit, Uintah County, Utah.

API # WELL NAME LOCATION

(Proposed PZ WASATCH-MESA VERDE)

43-047-50731	NBU	921-7F	Sec	07	T09S	R21E	2079	FNL	2869	FWL
43-047-50732	NBU	921-7L	Sec	07	T09S	R21E	1948	FSL	1196	FWL
43-047-50733	NBU	921-8D	Sec	80	T09S	R21E	0469	FNL	0652	FWL
43-047-50734	NBU	921-8N	Sec	80	T09S	R21E	0705	FSL	2033	FWL
43-047-50735	NBU	921-7D	Sec	07	T09S	R21E	0463	FNL	0180	FWL
43-047-50736	NBU	921-8C	Sec	80	T09S	R21E	0483	FNL	1729	FWL
43-047-50737	NBU	1022-9B4CS BHL				R22E R22E				
43-047-50738	NBU	1022-9C2DS BHL				R22E R22E				
43-047-50739	NBU	1022-9C3CS BHL				R22E R22E				
43-047-50740	NBU	1022-9C4DS BHL				R22E R22E				
43-047-50751	NBU	920-21G	Sec	21	T09S	R20E	1998	FNL	2319	FEL

API # WELL NAME LOCATION

(Proposed PZ WASATCH-MESA VERDE)


```
43-047-50752 NBU 1022-8L3CS Sec 08 T10S R22E 1761 FSL 0309 FWL Sec 08 T10S R22E 1330 FSL 0005 FWL 43-047-50753 NBU 1022-8M3DS Sec 08 T10S R22E 1765 FSL 0329 FWL Sec 08 T10S R22E 0245 FSL 0350 FWL Sec 08 T10S R22E 0245 FSL 0350 FWL BHL Sec 08 T10S R22E 0245 FSL 0350 FWL Sec 08 T10S R22E 0940 FSL 2635 FWL Sec 08 T10S R22E 0940 FSL 2635 FWL Sec 08 T10S R22E 0735 FSL 1700 FWL Sec 08 T10S R22E 0735 FSL 1700 FWL Sec 08 T10S R22E 1769 FSL 0348 FWL Sec 08 T10S R22E 1769 FSL 0460 FEL BHL Sec 35 T10S R22E 2170 FSL 0460 FEL Sec 35 T10S R22E 2170 FSL 0460 FEL
```

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File – Natural Buttes Unit
Division of Oil Gas and Mining
Central Files
Agr. Sec. Chron
Fluid Chron

MCoulthard:mc:9-18-09



WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED:	9/17/2009	API NO. ASSIGNED:	43047507540000
WELL NAME:	NBU 1022-8N1DS		
OPERATOR:	KERR-MCGEE OIL &	GAS ONSHORE, L.P. (N2995) PHONE NUMBER:	720 929-6156
CONTACT:	Danielle Piernot		
PROPOSED LOCATION:	NWSW 8 100S 220E	Permit Tech Review:	
SURFACE:	1772 FSL 0368 FWL	Engineering Review:	
воттом:	0940 FSL 2635 FWL	Geology Review:	
COUNTY:	UINTAH		
LATITUDE:	39.96100	LONGITUDE:	-109.47103
UTM SURF EASTINGS:	630593.00	NORTHINGS:	4424338.00
FIELD NAME:	NATURAL BUTTES		
LEASE TYPE:	1 - Federal		
LEASE NUMBER:	UTU 01196A	PROPOSED PRODUCING FORMATION(S): WASATCH-ME	SA VERDE
SURFACE OWNER:	1 - Federal	COALBED METHANE:	NO
RECEIVED AND/OR REVIE	EWED:	LOCATION AND SITING:	
 PLAT		R649-2-3.	
☑ Bond: FEDERAL - WYB	000291	Unit: NATURAL BUTTES	
Potash		R649-3-2. General	
☑️ Oil Shale 190-5			
Oil Shale 190-3		№ R649-3-3. Exception	
Oil Shale 190-13		✓ Drilling Unit	
✓ Water Permit: Permit	#43-8496	Board Cause No: Cause 173-14	
RDCC Review:		Effective Date: 12/2/1999	
Fee Surface Agreeme	ent	Siting: 460' fr u bdry & uncomm. tract	
✓ Intent to Commingle		✓ R649-3-11. Directional Drill	
Commingling Approved	d		
Comments: Presite C	ompleted		
Stinulations: 1 - Evce	ention Location - dmas	son	

1 - Exception Location - dmason 3 - Commingling - ddoucet 4 - Federal Approval - dmason 15 - Directional - dmason 17 - Oil Shale 190-5(b) - dmason API Well No: 43047507540000



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: NBU 1022-8N1DS API Well Number: 43047507540000 Lease Number: UTU 01196A Surface Owner: FEDERAL

Approval Date: 9/29/2009

Issued to:

KERR-MCGEE OIL & GAS ONSHORE, L.P., P.O. Box 173779, Denver, CO 80217

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 173-14. The expected producing formation or pool is the WASATCH-MESA VERDE Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

Exception Location:

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

Commingle:

In accordance with Board Cause No. 173-14, commingling of the production from the Wasatch formation and the Mesaverde formation in this well is allowed.

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

In accordance with the Order in Cause No. 190-5(b) dated October 28, 1982, the operator shall comply with the requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale

API Well No: 43047507540000

Areas. Additionally, the operators shall ensure that the surface and or production casing is properly cemented over the entire oil shale section as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the division.

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at https://oilgas.ogm.utah.gov

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

Gil Hunt

Associate Director, Oil & Gas

Die Hunt

STATE OF UTAH	FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR CAS AND MINING 5.LE	ASE DESIGNATION AND SERIAL NUMBER: U 01196A
SUNDRY NOTICES AND REPORTS ON WELLS 6. II	F INDIAN, ALLOTTEE OR TRIBE NAME:
	NIT or CA AGREEMENT NAME: TURAL BUTTES
	VELL NAME and NUMBER: U 1022-8N1DS
	PI NUMBER: 047507540000
	IELD and POOL or WILDCAT: TURAL BUTTES
	INTY: NTAH
Qtr/Qtr: NWSW Section: 08 Township: 10.0S Range: 22.0E Meridian: S STA UT,	
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR O	OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume Kerr-McGee Oil & Gas Onshore, L.P. (Kerr-McGee) respectfully requests an extension to this APD for the maximum time allowed. Please contact the undersigned with any questions and/or comments. Thank you.	Approved by the Utah Division of Oil, Gas and Mining
NAME (PLEASE PRINT) Danielle Piernot PHONE NUMBER 720 929-6156 Regulatory Analyst	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047507540000

API: 43047507540000 Well Name: NBU 1022-8N1DS

Location: 1772 FSL 0368 FWL QTR NWSW SEC 08 TWNP 100S RNG 220E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 9/29/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

uire revi	sion. Following is a checklist of s	some items related to the applicati	on, which should be verified.
	ated on private land, has the owned? Yes No	nership changed, if so, has the sur	face agreement been
	any wells been drilled in the vici requirements for this location?	nity of the proposed well which wo	ould affect the spacing or
	nere been any unit or other agre s proposed well? 🔵 Yes 📵 N	ements put in place that could affe No	ect the permitting or operation
	there been any changes to the a the proposed location?	ccess route including ownership, o s 📵 No	r rightof- way, which could
• Has th	ne approved source of water for	drilling changed? 🔵 Yes 🍺 No	
		s to the surface location or access is sed at the onsite evaluation?	route which will require a Yes 📵 No
• Is bor	nding still in place, which covers	this proposed well? Yes	Approved by the No Utah Division of Oil, Gas and Mining
nature:	Danielle Piernot Date	: 9/30/2010	
Title:	Regulatory Analyst Representing	: KERR-MCGEE OIL & GAS ONSHOR₽₽	te: October 06, 2010
	· · · · ·	,	1/13/200

Sig

By:

Form 3160-3 (August 2007)

RECEIVED

UNITED STATES DEPARTMENT OF THE INTERIOR SEP 17 2009 BUREAU OF LAND MANAGEMENT **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0136 Expires July 31, 2010

Lease Serial No. UTU01196A

6. If Indian, Allottee or Tribe Name

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: DRILL REENTER		7. If Unit or CA Agreement, Name and No. 891008900A
1b. Type of Well: ☐ Oil Well ☑ Gas Well ☐ Oth		
KERRMCGEE OIL&GAS ONSHORE-NA: Danielle		9. API Well No. 43 047 50754
3a. Address PO BOX 173779 DENVER, CO 80202-3779	3b. Phone No. (include area code) Ph: 720-929-6156 Fx: 720-929-7156	10. Field and Pool, or Exploratory NATURAL BUTTES
4. Location of Well (Report location clearly and in accorded	ance with any State requirements.*)	11. Sec., T., R., M., or Blk. and Survey or Area
At surface NWSW 1772FSL 368FWL	39.96105 N Lat, 109.47178 W Lon	Sec 8 T10S R22E Mer SLB
At proposed prod. zone SESW 940FSL 2635FWL		
14. Distance in miles and direction from nearest town or post APPROXIMATELY 26 MILES SOUTHEAST OF	office* OURAY, UTAH	12. County or Parish 13. State UINTAH UT
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any)	16. No. of Acres in Lease	17. Spacing Unit dedicated to this well
940 FEET	320.00	
 Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 	19. Proposed Depth	20. BLM/BIA Bond No. on file
APPROXIMATELY 960 FEET	9699 MD 9100 TVD	WYB000291
21. Elevations (Show whether DF, KB, RT, GL, etc. 5305 GL	22. Approximate date work will start 10/05/2009	23. Estimated duration 60-90 DAYS
	24. Attachments	
The following, completed in accordance with the requirements of	of Onshore Oil and Gas Order No. 1, shall be attach	ed to this form:
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest Syst SUPO shall be filed with the appropriate Forest Service Of 	tem Lands, the Item 20 above). 5. Operator certification	erations unless covered by an existing bond on file (see ic information and/or plans as may be required by the
25 Signature	Name (Printed/Typed)	I Dota

DANIELLE E PIERNOT Ph: 720-929-6156 (Electronic Submission) 09/17/2009

REGULATORY ANALYST I

Approved by (Signature) Name (Printed/Typed Jerry Kenczka ssistant Field Manager Office **VERNAL FIELD OFFICE** Lands & Mineral Resources

APR 0 7 2011

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

APR 1 4 2011

Electronic Submission #74429 verified by the BLM Well Information System
For KERRMCGEE OIL&GAS ONSHORE LP, sent to the Vernal
Committed to AFMSS for processing by ROBIN R. HANSEN on 09/18/2009 (DIV. OF OIL, GAS & MINING

NOTICE OF APPROVAL



CONDITIONS OF APPROVAL ATTACHED



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL FIELD OFFICE VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No: API No: Kerr McGee Oil and Gas Onshore LP

170 South 500 East

NBU 1022-8N1DS

43-047-50754

Location: Lease No: Agreement: NWSW, Sec.8, T10S R22E

UTU-01196A UTU-63047A

OFFICE NUMBER:

(435) 781-4400

OFFICE FAX NUMBER: (435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit was processed using a 390 CX tied to NEPA approved 02/07/2007. Therefore, this permit is approved for a two (2) year period OR until lease expiration OR the well must be spud by 02/07/2012 (5 years from the NEPA approval date), whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	 Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	- Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	- Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to running casing and cementing all casing strings to: ut vn opreport@blm.gov.
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	 Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

Page 2 of 6 Well: Bonanza 1022-8N1DS 3/18/2011

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- During operation, if any vertebrate paleontological resources are discovered, in accordance with Section 6 of Form 3100-11 and 43 CFR 3162.1, all operations affecting such sights shall be immediately suspended, and all discoveries shall be left intact until authorized to proceed by the Authorized Officer. The appropriate Authorized Officer of the Vernal BLM office shall be notified within 48 hours of the discovery, and a decision as to the preferred alternative/course of action will be rendered.
- Kerr McGee will adhere to all applicant committed conservation measures and conservation recommendations that are stated in the USFWS's "Final Biological Opinion for the Anadarko Petroleum Corporation Natural Buttes Unit and Bonanza Area Natural Gas Development Project.
- The operator will follow the Green River District Reclamation Guidelines for Reclamation.
- The operator will control noxious weeds along the well pad, access road, and the pipeline route by spraying or mechanical removal. On BLM administered land, a Pesticides Use Proposal (PUP) will be submitted and approved prior to the application of herbicides or pesticides or possibly hazardous chemicals.

Page 3 of 6 Well: Bonanza 1022-8N1DS 3/18/2011

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

• The operator shall comply with all applicable requirements in the SOP (version: "Greater Monument Butte Green River Development Program", June 24, 2008). The operator shall also comply with applicable laws and regulations; with the lease terms, Onshore Oil and Gas Orders, NTL's; and with other orders and instructions of the authorized officer.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily
 drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order
 No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a
 test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be reported in the driller's
 log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is
 encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal
 Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB

Page 4 of 6 Well: Bonanza 1022-8N1DS 3/18/2011

or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
 Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall
 be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL
 to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 5 of 6 Well: Bonanza 1022-8N1DS 3/18/2011

OPERATING REQUIREMENT REMINDERS:

 All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.

- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written communication
 and must be received in this office by not later than the fifth business day following the date on
 which the well is placed on production. The notification shall provide, as a minimum, the following
 informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - o The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be
 reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported
 verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will
 be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of
 Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of
- the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1.

Page 6 of 6 Well: Bonanza 1022-8N1DS 3/18/2011

Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering
 lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a
 suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be
 obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior approval
 of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior
 approval of the BLM Vernal Field Office shall be obtained and notification given before resumption
 of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office
 Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in
 order that a representative may witness plugging operations. If a well is suspended or abandoned,
 all pits must be fenced immediately until they are backfilled. The "Subsequent Report of
 Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of
 the well bore, showing location of plugs, amount of cement in each, and amount of casing left in
 hole, and the current status of the surface restoration.

Sundry Number: 17910 API Well Number: 43047507540000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposition bottom-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen exingged wells, or to drill horizontal laterals. Use	sting wells below current APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	PHONE treet, Suite 600, Denver, CO, 80217 3779	NUMBER: 720 929-6515 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSW Section: 08	P, RANGE, MERIDIAN: 3 Township: 10.0S Range: 22.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPORT	, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
Kerr-McGee Oil & G extension to this A	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION MPLETED OPERATIONS. Clearly show all pertine as Onshore, L.P. (Kerr-McGee) report the maximum time allow with any questions and/or committee to the committee of the committee	espectfully requests an ed. Please contact the nents. Thank you.	NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Volumes, etc.
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Andy Lytle	720 929-6100	Regulatory Analyst	
SIGNATURE N/A		DATE 8/29/2011	

Sundry Number: 17910 API Well Number: 43047507540000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047507540000

API: 43047507540000 **Well Name:** NBU 1022-8N1DS

Location: 1772 FSL 0368 FWL QTR NWSW SEC 08 TWNP 100S RNG 220E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 9/29/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

	ated on private land, has t ed? Yes No	the ownership changed, if s	o, has the surf	ace agreement	been
	any wells been drilled in t requirements for this loc	the vicinity of the proposed ation? 🔵 Yes 📵 No	well which wo	ould affect the s	pacing or
	here been any unit or othe s proposed well? Yes	er agreements put in place t	that could affe	ct the permittir	ng or operation
	there been any changes to the proposed location?(o the access route including Yes No	g ownership, o	r rightof- way,	which could
• Has t	he approved source of wa	ter for drilling changed?	Yes 📵 No	•	
		hanges to the surface locat discussed at the onsite eva			require a
• Is bo	nding still in place, which	covers this proposed well?	Yes	No	
Signature:	Andy Lytle	Date: 8/29/2011			

Title: Regulatory Analyst Representing: KERR-MCGEE OIL & GAS ONSHORE, L.P.

SUBMIT AS EMAIL

BLM - Vernal Field Office - Notification Form

Ope	rator <u>KERR-McGEE OIL & GA</u>	S Rig Name	e/# <u>BUCI</u>	KET RIG		
Submitted By JAIME SCHARNOWSKE Phone Number 720.929.6304						
Well	Name/Number NBU 1022-8N	N1DS				
Qtr/0	Qtr <u>NWSW</u> Section 8	Township 1	<u>os</u> R	ange <u>22E</u>		
Leas	se Serial Number <u>UTU01196A</u>	<u>. </u>				
API	Number <u>4304750754</u>					
	<u>d Notice</u> – Spud is the initial below a casing string.	spudding o	of the we	ll, not drillin		
*	Date/Time <u>04/18/2012</u>	12:00 HRS	AM 🗌	РМ		
<u>Casi</u> time	<u>ng</u> – Please report time casi s.	ing run star	ts, not ce	ementing		
\checkmark	Surface Casing		REC	CEIVED		
	Intermediate Casing			1 7 2012		
	Production Casing		MI IV	2012		
	Liner		DIV. OF OII	L, GAS & MINING		
	Other					
	Date/Time 05/17/2012	08:00 HRS	АМ 🗌	РМ		
ВОР	F					
	= Initial BOPE test at surface	casing poir	nt			
	BOPE test at intermediate					
	30 day BOPE test					
	Other					
	Date/Time		АМ 🗌	РМ		
Rem	arks estimated date and time. Plea	SE CONTACT KENN	Y GATHINGS .	AT		
	28 0986 OR LOVEL VOING AT 435 781 705					

Sundry Number: 25045 API Well Number: 43047507540000

	STATE OF UTAH		FORM 9		
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A		
SUNDR	SUNDRY NOTICES AND REPORTS ON WELLS				
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES				
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS		
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	NSHORE, L.P.		9. API NUMBER: 43047507540000		
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18tl	I h Street, Suite 600, Denver, CO, 80217	PHONE NUMBER: 3779 720 929-	9. FIELD and POOL or WILDCAT: 65NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridi	an: S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
 	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
✓ SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
4/20/2012	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
MIRU TRIPLE A BU RAN 14" 36.7# SCHE MIX. SPUD WEI	COMPLETED OPERATIONS. Clearly show all ICKET RIG. DRILLED 20" CONDEDULE 10 CONDUCTOR PIPE. LL LOCATION ON APRIL 20, 20	DUCTOR HOLE TO 40'. CMT W/ 28 SX READY 012 AT 09:30 HRS.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 27, 2012		
NAME (PLEASE PRINT) Gina Becker	PHONE NUMBE 720 929-6086	R TITLE Regulatory Analyst II			
SIGNATURE N/A		DATE 4/25/2012			

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM

Operator:

KERR McGEE OIL & GAS ONSHORE LP

Operator Account Number: N 2995

Address:

P.O. Box 173779

city DENVER

state CO zip 80217

Phone Number: (720) 929-6086

Well 1

API Number	Well	Name	QQ	Sec	Twp	Rng	County
4304750754	NBU 1022-8	BN1DS	NWSW	8	108	22E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
B	99999	2900	4	/20/201	2	413	30 12012

Comments: MIRU PETE MARTIN BUCKET RIG.

SPUD WELL LOCATION ON 04/20/2012 AT 09:30 HRS.

avimon webs

Well 2

API Number	Wei	Name	QQ Sec Twp		Rng County		
4304750755	NBU 1022-8N2DS		NWSW 8 10S		22E	UINTAH	
Action Code	Current Entity Number	New Entity Number	Spud Date		ie	Entity Assignment Effective Date	
B	99999	2900	4/20/2012		4/3	0 12012	

Well 3

API Number	Weli	Name	QQ	Sec	Twp	Rng	County				
4304750753	NBU 1022-	8M3DS NWSW 8 10S 22E		NBU 1022-8M3DS		NWSW 8 10S		13DS NWSW 8 10S 22		22E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date						
B	99999	2900	4/20/2012		4/30/2012						
Comments: MIRU	PETE MARTIN BUCK WELL LOCATION O	KET RIG.	<u>J</u>		-						

ACTION CODES:

- A Establish new entity for new well (single well only)
- **B** Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section)

RECEIVED

GINA BECKER

Name (Please Print)

Signature

Title

REGULATORY ANALYST

4/24/2012 Date

APR 2 5 2012

Sundry Number: 27503 API Well Number: 43047507540000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	n Street, Suite 600, Denver, CO, 80217	PHONE NUMBER: 720 929-	9. FIELD and POOL or WILDCAT: 5NATERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meri	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE CHANGE TO PREVIOUS PLANS	ALTER CASING CHANGE TUBING	CASING REPAIR CHANGE WELL NAME
Approximate date work will start: SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON RECLAMATION OF WELL SITE	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME		RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date: 7/6/2012	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
17072012	WILDCAT WELL DETERMINATION	OTHER	OTHER:
No activity for	the month of June 2012. Co	nductor set at 40'.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 09, 2012
NAME (PLEASE PRINT) Jaime Scharnowske	PHONE NUMB 720 929-6304	ER TITLE Regulartory Analyst	
SIGNATURE N/A		DATE 7/6/2012	

Sundry Number: 28529 API Well Number: 43047507540000

STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A	
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, r FOR PERMIT TO DRILL form	posals to drill new wells, significantly deer eenter plugged wells, or to drill horizontal n for such proposals.	pen existing wells below laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	PHO n Street, Suite 600, Denver, CO, 80217 377	DNE NUMBER: 79 720 929-6	9. FIELD and POOL or WILDCAT: 5NIATUERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridian	: S	STATE: UTAH
11. CHEC	APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
Report Date: 8/3/2012	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
0/3/2012	WILDCAT WELL DETERMINATION	OTHER	OTHER:
No activity for	COMPLETED OPERATIONS. Clearly show all pe the month of July 2012. Condu	uctor set at 40'.	epths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 06, 2012
NAME (PLEASE PRINT) Jaime Scharnowske	PHONE NUMBER 720 929-6304	TITLE Regulartory Analyst	
SIGNATURE N/A		DATE 8/3/2012	

Sundry Number: 29602 API Well Number: 43047507540000

STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	PHO n Street, Suite 600, Denver, CO, 80217 377	ONE NUMBER: 79 720 929-6	9. FIELD and POOL or WILDCAT: 5NIATUERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridian:	: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
_	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Jaio G. Spaa.	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
9/5/2012	WILDCAT WELL DETERMINATION	OTHER	OTHER:
No activity for the second sec	COMPLETED OPERATIONS. Clearly show all pende month of August 2012. Conditions are supplied to the conditions of the conditions are supplied to the conditions are sup	TITLE	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 11, 2012
Jaime Scharnowske	720 929-6304	Regulartory Analyst	
SIGNATURE N/A		DATE 9/5/2012	

Sundry Number: 34498 API Well Number: 43047507540000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE UTU 0	DESIGNATION AND SERIAL NUMBER: 1196A	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF IND	IAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deep ontal I	en existing wells below aterals. Use APPLICATION		r CA AGREEMENT NAME: AL BUTTES
1. TYPE OF WELL Gas Well					NAME and NUMBER: 022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.			9. API NU 43047	JMBER: 507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	n Street, Suite 600, Denver, CO, 8021		NE NUMBER: 9 720 929-6		and POOL or WILDCAT: AL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL				COUNTY	
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Mer	idian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE N	ATURE OF NOTICE, REPOR	T, OR O	THER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT		NEW CONSTRUCTION
	OPERATOR CHANGE	□ Р	PLUG AND ABANDON		PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	TUBING REPAIR	□ v	/ENT OR FLARE		WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	□ s	SI TA STATUS EXTENSION		APD EXTENSION
2/6/2013	WILDCAT WELL DETERMINATION		OTHER	отн	
44 DESCRIPE PROPOSED OR			···		<u>'</u>
	COMPLETED OPERATIONS. Clearly show ne month of January 2013. (-		FOI	Accepted by the Utah Division of il, Gas and Mining R RECORD ONLY February 13, 2013
NAME (PLEASE PRINT)	PHONE NUME	BER	TITLE		
Jaime Scharnowske	720 929-6304		Regulartory Analyst		
SIGNATURE N/A			DATE 2/6/2013		

Sundry Number: 37519 API Well Number: 43047507540000

	STATE OF UTAH		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.	pen existing wells below laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	PHC n Street, Suite 600, Denver, CO, 80217 377	ONE NUMBER: 79 720 929-6	9. FIELD and POOL or WILDCAT: 5NIATUERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridian:	: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
			WATER DISPOSAL
✓ DRILLING REPORT		VENT OR FLARE	
Report Date: 5/3/2013		SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all pe or the month of April 2013. We	_	epths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 06, 2013
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE Regulatory Specialist	
Luke Urban	720 929-6501	Regulatory Specialist	
SIGNATURE N/A		DATE 5/3/2013	

RECEIVED: May. 03, 2013

Sundry Number: 36518 API Well Number: 43047507540000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horize n for such proposals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	n Street, Suite 600, Denver, CO, 8021	PHONE NUMBER: 7 3779 720 929-	9. FIELD and POOL or WILDCAT: 5NATERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	liP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Mei	ridian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	WATER DISPOSAL
Report Date: 4/5/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
4/3/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 24, 2013
NAME (PLEASE PRINT) Luke Urban	PHONE NUMI 720 929-6501	BER TITLE Regulatory Specialist	
SIGNATURE	. 20 020 0001	DATE	
N/A		4/5/2013	

Sundry Number: 38649 API Well Number: 43047507540000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDR	Y NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	P n Street, Suite 600, Denver, CO, 80217 3	HONE NUMBER: 779 720 929-6	9. FIELD and POOL or WILDCAT: 5NATERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridia	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all Or the month of May 2013. We	-	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL APD EXTENSION OTHER: DEPths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 11, 2013
NAME (DI FASE DDINT)	PHONE NUMBER	R TITLE	
NAME (PLEASE PRINT) Teena Paulo	720 929-6236	Staff Regulatory Specialist	
SIGNATURE N/A		DATE 6/5/2013	

Sundry Number: 39557 API Well Number: 43047507540000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE: DIVISION OF OIL, GAS, AND MINII		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDR	Y NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	Street, Suite 600, Denver, CO, 80217	PHONE NUMBER: 3779 720 929-6	9. FIELD and POOL or WILDCAT: 5NATERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridi	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all Or the month of June 2013. W		CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL APD EXTENSION OTHER: DEPths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 02, 2013
NAME (PLEASE PRINT) Teena Paulo	PHONE NUMBE 720 929-6236	R TITLE Staff Regulatory Specialist	
SIGNATURE N/A		DATE 7/2/2013	

RECEIVED: Jul. 02, 2013

Sundry Number: 40856 API Well Number: 43047507540000

	STATE OF UTAH				FORM	9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DE UTU 0119	SIGNATION AND SERIAL NUMBE	R:	
SUNDR	RY NOTICES AND REPORTS	ON '	WELLS	6. IF INDIAN	I, ALLOTTEE OR TRIBE NAME:	_
	oposals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or C	A AGREEMENT NAME: BUTTES	_
1. TYPE OF WELL Gas Well				8. WELL NA NBU 1022	ME and NUMBER: 2-8N1DS	
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.			9. API NUME 43047507		
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	h Street, Suite 600, Denver, CO, 802		NE NUMBER: 9 720 929-6	9. FIELD and 5NIATUERAL	d POOL or WILDCAT: BUTTES	_
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL				COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Me	eridian:	S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR OTH	IER DATA	_
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE	A	LTER CASING	☐ ca	SING REPAIR	_
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	Сн	ANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	□ со	NVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ FI	RACTURE TREAT	□ NE	W CONSTRUCTION	
	OPERATOR CHANGE	Пр	LUG AND ABANDON	PLI	UG BACK	
	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE		COMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION					
			IDETRACK TO REPAIR WELL		MPORARY ABANDON	
✓ DRILLING REPORT	LU TUBING REPAIR		ENT OR FLARE		TER DISPOSAL	
Report Date: 8/5/2013	WATER SHUTOFF	∟ s	I TA STATUS EXTENSION	∐ AP	D EXTENSION	
0/0/2010	WILDCAT WELL DETERMINATION	□ o	THER	OTHER:		
No activity f	COMPLETED OPERATIONS. Clearly show for the month of July 2013.	Well	TD at 40 ft.	Acc Ut Oil, G FOR	cepted by the ah Division of Gas and Mining RECORD ONLY gust 07, 2013	
NAME (PLEASE PRINT) Teena Paulo	PHONE NUM 720 929-6236	IBER	TITLE Staff Regulatory Specialist			
SIGNATURE N/A			DATE 8/5/2013			

Sundry Number: 42301 API Well Number: 43047507540000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIG UTU 01196A	NATION AND SERIAL NUMBER:	
SUNDR	Y NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, AL	LOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deep contal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AC	GREEMENT NAME:
1. TYPE OF WELL Gas Well				8. WELL NAME (NBU 1022-8N	
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.			9. API NUMBER: 4304750754	
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	n Street, Suite 600, Denver, CO, 802		ONE NUMBER: 720 929-6	9. FIELD and PO 5NATUERAL BUT	OOL or WILDCAT: FTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Me	eridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER	DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	CASING	REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE	WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVER	T WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	FRACTURE TREAT	☐ NEW CO	NSTRUCTION
	OPERATOR CHANGE	F	PLUG AND ABANDON	PLUG BA	ACK
SPUD REPORT	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE	RECOMF	PLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	П темров	RARY ABANDON
	TUBING REPAIR		/ENT OR FLARE	WATER	DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION	APD EXT	FENSION
9/5/2013	WILDCAT WELL DETERMINATION		OTHER	OTHER:	
44 DESCRIPE PROPOSED OR				!	
	COMPLETED OPERATIONS. Clearly shown the month of August 2013	•	<u>-</u> .	Accep Utah Oil, Gas FOR RI	oted by the Division of s and Mining ECORD ONLY Der 02, 2013
NAME (PLEASE PRINT)	PHONE NUM	IBER	TITLE		
Teena Paulo SIGNATURE	720 929-6236		Staff Regulatory Specialist DATE		
N/A			9/5/2013		

Sundry Number: 43399 API Well Number: 43047507540000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly deep eenter plugged wells, or to drill horizontal l n for such proposals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	PHC n Street, Suite 600, Denver, CO, 80217 377	ONE NUMBER: 79 720 929-6	9. FIELD and POOL or WILDCAT: 5NATUERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridian:	S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:		SI TA STATUS EXTENSION	APD EXTENSION
10/4/2013			
		OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all pe activity since last report. Well TI	_	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 07, 2013
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Matthew P Wold	720 929-6993	Regulatory Analyst I	
SIGNATURE N/A		DATE 10/4/2013	

Sundry Number: 46318 API Well Number: 43047507540000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDR	Y NOTICES AND REPORTS ON	I WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly dee reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	PH n Street, Suite 600, Denver, CO, 80217 37	ONE NUMBER: 720 929-6	9. FIELD and POOL or WILDCAT: 5NATERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridiar	n: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all party of Quarter 4 of 2013. Well 7		CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL APD EXTENSION OTHER: Depths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 03, 2014
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Kay E. Kelly	720 929 6582	Regulatory Analyst	
SIGNATURE N/A		DATE 1/2/2014	

RECEIVED: Jan. 02, 2014

Sundry Number: 49583 API Well Number: 43047507540000

STATE OF UTAH			FORM 9
ı	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro- current bottom-hole depth, FOR PERMIT TO DRILL form	posals to drill new wells, significantly de- reenter plugged wells, or to drill horizonta n for such proposals.	epen existing wells below I laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	NSHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18tl	PI h Street, Suite 600, Denver, CO, 80217 3	HONE NUMBER: 779 720 929-6	9. FIELD and POOL or WILDCAT: 110/ATUERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	tip, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridia	n: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Date: 4/2/2014			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	for Quarter 1 of 2014. Well Di	_	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 02, 2014
NAME (PLEASE PRINT) Kay E. Kelly	PHONE NUMBER	TITLE Regulatory Analyst	
SIGNATURE	720 929 6582	DATE	
N/A		4/2/2014	

Sundry Number: 50309 API Well Number: 43047507540000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9		
ı	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A				
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for pro current bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES				
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-8N1DS		
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	9. API NUMBER: 43047507540000				
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	9. FIELD and POOL or WILDCAT: 110/ATUERAL BUTTES				
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Meridia	an: S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICATE	T, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
3/3/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
		1			
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON		
	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, d	epths, volumes, etc.		
	st authorization to Plug and A		cepted by the		
	on. Attached is the Plug & Aba	and on more	ah Division of Gas and Mining		
procedures. This	s is a State Courtesy Copy. Th	ank you.	sas and Mining		
		Date:			
		Pv. M.	add day +		
		By: <u>M</u> a	W 0 17, 2014 1		
		Please Revi	ew Attached Conditions of Approval		
NAME (PLEASE PRINT)	PHONE NUMBER				
Matthew P Wold	720 929-6993	Regulatory Analyst I			
SIGNATURE N/A		DATE 4/23/2014			

Sundry Number: 50309 API Well Number: 43047507540000



The Utah Division of Oil, Gas, and Mining

- State of UtahDepartment of Natural Resources

Electronic Permitting System - Sundry Notices

Sundry Conditions of Approval Well Number 43047507540000

Form 8 - Well Completion Report should be submitted at conclusion of P&A.

RECEIVED: May. 01, 2014

Sundry Number: 50309 API Well Number: 43047507540000

NBU 1022-8N1DS 1772' FSL & 368' FWL NWSW SEC. 8, T10S, R22E Uintah County, UT

API NUMBER: 4304750754 **LEASE NUMBER:** UTU-01196-A

GLE: 5305' **TD:** 40'

CASING: 20" hole

14" 36.7# Schedule 10 pipe @ 40' Cmt w/ 28 sx Ready-mix, TOC @ Surface

HISTORY: MIRU TRIPLE BUCKET RIG. DRILLED 20" CONDUCTOR HOLE TO 40'. RAN 14"

36.7# SCHEDULE 10 CONDUCTOR PIPE. CMT W/ 28 SX READY MIX. SPUD WELL

LOCATION ON APRIL 20, 2012 @ 09:30 HRS.

PLUGGING PROCEDURE: Conductor I.D. = 13.344", Capacity = 0.9711 cu/ft

40' = 38.8 cu/ft or 6.92 bbls

Use Class "G" Neat at 15.6 ppg to 15.8 ppg

15.6 ppg / 1.18 yield = 32.9 sx + 5% excess if needed = 34.5 sx15.8 ppg / 1.15 yield = 33.7 sx + 5% excess if needed = 35.4 sx

Suggest running 80' of 1" pipe to bottom of conductor / pump slurry to top out conductor/ wait 48 hrs & cut off conductor at least 6' below ground level. Proceed with suggested reclamation plan if approved.

RECEIVED: Apr. 23, 2014

Sundry Number: 54790 API Well Number: 43047507540000

Form 3160-4 (August 2007)				TMEN	IO TV		E INT									FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010			
	WELL (СОМРІ	ETION C	RR	ECO	MPL	ETIC	N RE	EPOR	RT A	ND L	.OG							
1a. Type of	Well	Oil Well	☐ Gas \	Well	I	Ory		ther							6. If	Indian, Al	lottee o	r Tribe Name	
b. Type of	Sure Completion Completio																		
		_ AND G	AS ONSHŒ	RMEail:	ila.be										8. Le	ease Name	and We		
	P.O. BOX	173779						3a.	Phone			e area c	code)		9. A	PI Well N	0.	43-047-50754	
4. Location				d in ac	corda	nce wit	th Fed								10. I	Field and F	ool, or	Exploratory	
At surfa	At surface NWSW 1772 368FWL 39.961048 N Lat, 109.471776 W Lon At top prod interval reported below NWSW 1772 368FWL 39.961048 N Lat, 109.471776 W Lon 11. Sec., T., R., M., or Block and Surve or Area Sec 8 T10S R22E Mer S																		
At top p	rod interval i	reported b	elow NWS	SW 17	72 36	8FWL	39.9	61048	N Lat,	109.	47177	6 W Lo	on		0	r Area Se	ec 8 T1	0S R22E Mer SLB	
At total	depth NW	SW 177	2 368FWL 3	9.9610)48 N	Lat, 1	09.47	1776 \	W Lon								Parish		
14. Date Spudded 04/20/2012 15. Date T.D. Reached 04/20/2012 16. Date Completed D & A D & A D Ready to Prod. 08/04/2014 17. Elevations (DF, KB, RT, GL)* 5309 GL 5309 GL 18. Total Depth: MD 40 19. Plug Back T.D.: MD 20. Depth Bridge Plug Set: MD																			
18. Total D	epth:		40		19.	Plug E	Back T	.D.:						20. De	oth Bri	dge Plug S			
21. Type El	lectric & Oth	er Mecha	nical Logs R	un (Sul	omit co	opy of	each)					Ιī	Was I	OST run?)	⊠ No	T Yes	s (Submit analysis)	
23. Casing an	d Liner Rec	ord (Repo	ort all strings	set in 1	vell)			,		一									
Hole Size	Size/G	rade	Wt. (#/ft.)	I	•	1		1 ~		iter			nent (BBL) Cement			Cement	Top*	Amount Pulled	
20.000	14.0	000 STL	36.7		0		40	1		+			28						
-								 		+									
								<u> </u>		_									
24. Tubing	Record		<u> </u>					<u> </u>						<u> </u>				<u> </u>	
Size	Depth Set (M	(ID) F	acker Depth	(MD)	Si	ze	Dept	h Set (I	MD)	Pac	ker De	pth (M	D)	Size	De	pth Set (M	(ID)	Packer Depth (MD)	
25. Producir	ng Intervals						26	Perfor	ation Re	ecord									
	ormation	Τ	Тор		Во	ttom	120.		Perforate				Т	Size	l N	No. Holes		Perf. Status	
A)			•																
<u>B)</u>							_						+		_		-		
<u>C)</u> D)							+						+		+		+		
	acture, Treat	ment, Ce	ment Squeeze	e, Etc.															
I	Depth Interv	al								Amo	ount and	1 Туре	of M	laterial					
28. Producti			1_	I		_			1			1.							
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL		Gas MCF		Water BBL		il Gravi orr. AP			Gas Gravity		Producti	on Method			
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL		Gas Water Gas:Oil Well Status MCF BBL Ratio													
28a. Produc	tion - Interva	ıl B																	
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL		Gas MCF		Water BBL		il Gravi orr. AP			Gas Gravity		Producti	on Method			
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL		Gas MCF		Water BBL		as:Oil atio		1	Well St	atus					

⁽See Instructions and spaces for additional data on reverse side)
ELECTRONIC SUBMISSION #258173 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

Choke Tbg. Press. Csg. 24 Hr. Oil BBL MCF BBL Ratio Well Status 28c. Production - Interval D Date First Test Date Hours Test Production BBL MCF BBL MCF BBL Oil Gravity Ori. API Gravity Production Method Choke Tbg. Press. Csg. 24 Hr. Oil Gas BBL MCF BBL Gas:Oil BBL Gravity Production Method Choke Tbg. Press. Csg. 24 Hr. Oil Gas BBL MCF BBL Ratio Size Flwg. Press. Rate BBL MCF BBL Ratio 29. Disposition of Gas(Sold, used for fuel, vented, etc.) UNKNOWN 30. Summary of Porous Zones (Include Aquifers): Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.													
Date				- Im	Tau	T _o	I	Tona i	la.		Ta		
Production Pro	Date First Produced										Production Method		
28c. Production - Interval D Date Total Production BBL McF BBL Cor APT Go Production Go Go Production Go Go Go Production Go Go Go Go Go Go Go	Choke Size	Flwg.							W	/ell Status	1		
Title Name Title Name Title Name Name	28c. Proc		val D										
The conductor hole was the only hole drilled on this location. 34 sxs cement were pumped into the conductor pipe. An abandonment chrono of this work is attached. 32. Circle enclosed attachments: 1. Electrical/Mechanical Logs (I full set regid.) 2. Summary Notice for phagging and exment verification 3. Circle enclosed attachments: 1. Electrical/Mechanical Logs (I full set regid.) 3. Summary Notice for phagging and exment verification 3. Circle enclosed attachments: 1. Electrical/Mechanical Logs (I full set regid.) 3. Summary Notice for phagging and exment verification 3. Summary Notice for phagging and exment verification 3. Summary Notice for phagging and attached information is complete and correct as determined from all available records (see attached instructions): Electronic Submission #258173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSIDORs, and willfully to make to any department or agency Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly, and willfully to make to any department or agency Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly, and willfully to make to any department or agency Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly, and willfully to make to any department or agency Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly, and willfully to make to any department or agency	Date First	Test	Hours								Production Method		
Summary of Porous Zones (Include Aquifices):	Produced	Date	Tested	· ~	BBL	MCF	BBL	Corr. API	Gı	ravity			
UNKNOWN 30. Summary of Porous Zones (Include Aquifers): Show all important zones of promity and contents thereof: Cored intervals and all drill-stern tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries. Formation Top Bottom Descriptions, Contents, etc. Name Tr. Meis. 31. Formation (Log) Markers The conductor hole was the only hole drilled on this location. 34 sxs cement were pumped into the conductor pipe. An abandonment chrono of this work is attached. 33. Circle enclosed attachments: 1. Electrical/Mechanical Logs (I full set reg'd.) 2. Geologic Report 3. DNT Report 4. Directional Survey 5. Sundry Notice for plugging and cement verification 6. Core Analysis 7. Other: 34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions): Electronic Submission #288173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSHORE, sent to the Vernal Name (please prim) ILA BEALE Title STAFF REGULATORY SPECIALIST Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency		Flwg.							W	Vell Status			
Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shur-in pressures and recoveries. Formation Top Bottom Descriptions, Contents, etc. Name Tomass. Pormation Top Bottom Descriptions, Contents, etc. Name Tomass. 32. Additional remarks (include plugging procedure): The conductor was the only hole drilled on this location. 34 sxs cement were pumped into the conductor pipe. An abandonnent chrono of this work is attached. 33. Circle enclosed attachments: 1. Electrical/Mechanical Logs (I full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Surva 5. Sundry Notice for plugging and cement verification 6. Core Analysis 7 Other: 34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions): Electronic Submission #2.S8173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSHORE, sent to the Vernal Name (please print) **LA BEALE** Title STAFF REGULATORY SPECIALIST* Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency.			(Sold, used	d for fuel, veni	ted, etc.)		I	·	I				
tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries. Formation Top Bottom Descriptions, Contents, etc. Name To Meas. 32. Additional remarks (include plugging procedure): The conductor hole was the only hole drilled on this location. 34 sxs cement were pumped into the conductor pipe. An abandonment chrono of this work is attached. 33. Circle enclosed attachments: 1. Electrical Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Surva 5. Sundry Notice for plugging and etement verification 6. Core Analysis 7 Other: 34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions): Electronic Submission #258/173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSHORE, sent to the Vernal Name (please print) LA BEALE Title Signature (Electronic Submission) Date 08/25/2014	30. Sumi	mary of Porou	ıs Zones (I	nclude Aquife	ers):					31. Fo	ormation (Log) Ma	rkers	
32. Additional remarks (include plugging procedure): The conductor hole was the only hole drilled on this location. 34 sxs cement were pumped into the conductor pipe. An abandonment chrono of this work is attached. 33. Circle enclosed attachments: 1. Electrical/Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Surve 5. Sundry Notice for plugging and cement verification 6. Core Analysis 7 Other: 34. Thereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions): Electronic Submission #258173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSHORE, sent to the Vernal Name (please print) ILA BEALE Title STAFF REGULATORY SPECIALIST Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency	tests,	including dep	t zones of j oth interva	porosity and c l tested, cushi	ontents the	ereof: Core ne tool ope	d intervals and en, flowing and	all drill-stem shut-in pressu	ıres				
32. Additional remarks (include plugging procedure): The conductor hole was the only hole drilled on this location. 34 sxs cement were pumped into the conductor pipe. An abandonment chrono of this work is attached. 33. Circle enclosed attachments: 1. Electrical/Mechanical Logs (I full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Surve 5. Sundry Notice for plugging and cement verification 6. Core Analysis 7 Other: 34. Thereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions): Electronic Submission #258173 Verified by the BLM Well Information System. For KERR-MCGEE OII. AND GAS ONSHORE, sent to the Vernal Name(please print) ILA BEALE Title STAFF REGULATORY SPECIALIST Signature (Electronic Submission) Date 08/25/2014		Formation		Ton	Rottor	n	Descriptio	one Contents 6	etc		Name		Тор
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency		Tormation		тор	Bottoi	11	Descriptio	nis, Contents, c	cic.		rvaine		Meas. Dep
1. Electrical/Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Surve 5. Sundry Notice for plugging and cement verification 6. Core Analysis 7 Other: 34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions): Electronic Submission #258173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSHORE, sent to the Vernal Name (please print) LLA BEALE Title STAFF REGULATORY SPECIALIST Signature (Electronic Submission) Date 08/25/2014 Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency	The	conductor ho	ole was th	ie only hole d	drilled on t	his locatic o of this w	on. 34 sxs ce vork is attache	ment were pu	ımped				
1. Electrical/Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Surve 5. Sundry Notice for plugging and cement verification 6. Core Analysis 7 Other: 34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions): Electronic Submission #258173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSHORE, sent to the Vernal Name (please print) LA BEALE Title STAFF REGULATORY SPECIALIST Signature (Electronic Submission) Date 08/25/2014 Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency													
5. Sundry Notice for plugging and cement verification 6. Core Analysis 7 Other: 34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions): Electronic Submission #258173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSHORE, sent to the Vernal Name (please print) ILA BEALE Title STAFF REGULATORY SPECIALIST Signature (Electronic Submission) Date 08/25/2014 Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency					ea'd)		2 Geologia	Report		3 DST D	enort	4 Direction	nal Survey
Electronic Submission #258173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSHORE, sent to the Vernal Name (please print) ILA BEALE Title STAFF REGULATORY SPECIALIST Signature (Electronic Submission) Date 08/25/2014 Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency					_	n	_	•			ероп	4. Direction	iai Suivey
Electronic Submission #258173 Verified by the BLM Well Information System. For KERR-MCGEE OIL AND GAS ONSHORE, sent to the Vernal Name (please print) ILA BEALE Title STAFF REGULATORY SPECIALIST Signature (Electronic Submission) Date 08/25/2014 Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency	34 I hav	eby certify the	t the force	toing and attac	ched inform	nation is co	mnlete and co	rrect as determ	ined from	all availabl	le recorde (see atta	ched instruction	one).
Signature (Electronic Submission) Date 08/25/2014 Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency	54. I nere	eby certify tha	it the foreg	Elect	ronic Subi	mission #2	58173 Verified	d by the BLM	Well Info	ormation S	vstem.	ened instruction	nis).
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency	Name	e(please print) ILA BEA	ALE				Title	STAFF F	REGULAT	ORY SPECIALIS	ST	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency	Signa	ature	(Electro	nic Submiss	ion)			Date	08/25/20	014_			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any folio-fictings or fredulent attacements or representations as to any matter within its invisibilities.													
	Title 18 l	U.S.C. Section	n 1001 and	Title 43 U.S.	C. Section	1212, mak	te it a crime for	any person kr	nowingly a	and willfully	y to make to any do	epartment or a	gency

Sundry Number: 54790 API Well Number: 43047507540000

Sundry Number: 54790 API Well Number: 43047507540000

US ROCKIES REGION Operation Summary Report										
Well: NBU 1022-8N1DS Spud Date:										
Project: UTAH-UIN	NTAH		Site: NBU	1022-8L	PAD			Rig Name No:		
Event: ABANDON	Start Date	: 7/30/20	14			End Date: 8/4/2014				
Active Datum: RK Level)		UWI: NV	N/SW/0/	10/S/22/E/	8/0/0/26/PM/S/17	772/W/0/368/0/0				
Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD From (usft)	Operation		
7/30/2014	-		ABANDP	51	D	Р		HSM, MIRU PRO PETRO CMT CREW, PUMP 34 SKS CMT CLASS G (7 BBLS), W/ 2% CALCIUM, 1/4# FLOCELLE PER SK, PUMPED INTO 14", 36.7# CONDUCTOR CSG DEPTH 40', CMT 4' FROM TOF CONDUCTOR CSG, P&A WELL, RDMO PRO PETRO, WOC, WILL CUT OFFCONDUCTOR CSG, INSTAL CAP W/ LEGALS ON MONDAY 8/4/14 WITNESSED BY BLM REP. DAVE INGRAM		
8/4/2014	-		ABANDP	51	В	Р		TAKE GPS READING, CUT OFF CSG 4' BELOW SURFACE, BUILD ID PLATE, INSTALL ID ON CSG, PULL DRILL RING, BACK FILL N 39.96105 W 109.47176 ELEV 5309' WITNESSED BY BLM REP. DAVE INGRAM		

8/25/2014 8:17:46AM 1

Sundry Number: 55161 API Well Number: 43047507540000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURG DIVISION OF OIL, GAS, AND MII		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU 01196A
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL			8. WELL NAME and NUMBER: 4NBU 1022-8N1DS
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	ISHORE, L.P.		9. API NUMBER: 43047507540000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th	h Street, Suite 600, Denver, CO, 8021	PHONE NUMBER: 7 3779 720 929-	9. FIELD and POOL or WILDCAT: 1NATERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1772 FSL 0368 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 08 Township: 10.0S Range: 22.0E Mer	ridian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
8/4/2014	OPERATOR CHANGE	✓ PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Bate.			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
THE OPERATOR HA	COMPLETED OPERATIONS. Clearly show IS COMPLETED THE PLUGGII THE REFERENCED WELL. PLE TIONS SUMMARY REPORT. 1	NG AND ABANDONMENT EASE SEE THE ATTACHED	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 05, 2014
NAME (PLEASE PRINT) Kay E. Kelly	PHONE NUME 720 929 6582	BER TITLE Regulatory Analyst	
SIGNATURE N/A		DATE 9/4/2014	

Sundry Number: 55161 API Well Number: 43047507540000

US ROCKIES REGION Operation Summary Report									
Well: NBU 1022-8	BN1DS								
Project: UTAH-UII	NTAH		Site: NBU	1022-8L	PAD			Rig Name No:	
Event: ABANDON	Start Date	e: 7/30/20	14			End Date: 8/4/2014			
Active Datum: RK Level)		UWI: NV	N/SW/0/	10/S/22/E/	8/0/0/26/PM/S/17	772/W/0/368/0/0			
Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD From (usft)	Operation	
7/30/2014	-		ABANDP	51	D	Р		HSM, MIRU PRO PETRO CMT CREW, PUMP 34 SKS CMT CLASS G (7 BBLS), W/ 2% CALCIUM, 1/4# FLOCELLE PER SK, PUMPED INTO 14", 36.7# CONDUCTOR CSG DEPTH 40', CMT 4' FROM TOF CONDUCTOR CSG, P&A WELL, RDMO PRO PETRO, WOC, WILL CUT OFFCONDUCTOR CSG, INSTAL CAP W/ LEGALS ON MONDAY 8/4/14 WITNESSED BY BLM REP. DAVE INGRAM	
8/4/2014	-		ABANDP	51	В	Р		TAKE GPS READING, CUT OFF CSG 4' BELOW SURFACE, BUILD ID PLATE, INSTALL ID ON CSG, PULL DRILL RING, BACK FILL N 39.96105 W 109.47176 ELEV 5309' WITNESSED BY BLM REP. DAVE INGRAM	

9/4/2014 2:20:59PM 1